

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
12 February 2004 (12.02.2004)

PCT

(10) International Publication Number  
**WO 2004/012802 A1**

(51) International Patent Classification<sup>7</sup>: **A61M 15/00**

(21) International Application Number:  
PCT/HU2002/000162

(22) International Filing Date:  
23 December 2002 (23.12.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
P 0202563 5 August 2002 (05.08.2002) HU

(71) Applicants and

(72) Inventors: BUDAI, László [HU/HU]; Táncsics u. 3/a,  
H-2141 Csömör (HU). BÉKEFI, Imre [HU/HU]; Rákóczi  
u. 135, H-1205 Budapest (HU).

(74) Agent: GEORG PINTZ & PARTNERS; Pf. 590,  
H-1539 Budapest (HU).


(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE,  
SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,  
VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK,  
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).

Published:  
— with international search report

[Continued on next page]

(54) Title: INHALER APPARATUS FOR MITIGATING RESPIRATORY COMPLAINTS



(57) Abstract: The invention relates to an inhaler apparatus for mitigating respiratory complaints, comprising a house, salt holder space, filling, aspiration hole, base, and blocking member, the base is supplied with bottom holes, the blocking member is supplied with upper holes, there is a beak between the house and the aspiration hole. The invention is characterized in that a ventilating channel (6) is formed under the base (13), there is a filling opening (3) in the side of the house (1), and there is an exhaust opening (9) provided with a retaining valve (10) on the beak (7).

WO 2004/012802 A1



---

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

### **Inhaler Apparatus for Mitigating Respiratory Complaints**

The object of the invention is an inhaler apparatus for mitigating respiratory complaints,  
5 comprising a house, salt holder space, filling, aspiration hole, base and blocking member,  
the base is supplied with bottom holes, the blocking member is supplied with upper holes,  
and there is a beak between the house and the aspiration hole.

Several inhaler apparatuses are known in the prior art. The primary purpose of these  
10 apparatuses is to facilitate aspiration of powdered pharmaceuticals. Patent specification No.  
HU 213.187 describes an apparatus which contains a swirl chamber in the house containing  
the active ingredient, and the inlet of the apparatus is tangentially connected to it. The  
carrying agent of the active ingredient flows in through this inlet, while there is an outlet  
chunk at the other end of the chamber. The apparatus described in patent specification No.  
15 HU 210.758 comprises a stationary part and a rotary part, where the rotary part prevents the  
grains from clumping. The other function of the rotary part is to supply and loosen the  
active ingredient. Patent specification No. HU 171.644 and HU 213.661 describe  
apparatuses having special mechanisms for supplying the agent to be inhaled.

20 The common disadvantage of the above constructions is that they contain moving parts  
promoting movement and accurate supply of the active ingredient, as a result of which the  
apparatuses are complicated and the probability of failure is high.

Specification No. WO 01/45777 describes an inhaler apparatus for aspirating blister packed  
25 powdered products. Its disadvantage is that the agent quickly runs short from the apparatus,  
as only one portion can be used at one occasion.

Patent specification No. HU 220.182 describes an inhaler apparatus suitable for treating  
asthmatic complaints. The apparatus has a plastic house, a storage space, iodous salt crystal  
30 filling in the storage space, inlet and outlet openings, a metal screen and a beak. Its

characteristic feature is that the permissive cross section corresponding to at least one inlet opening is larger than the permissive cross section corresponding to the outlet opening. It has the disadvantage that the filling is precipitating on the metal screen, and further, if the apparatus is placed on wet table, the water is absorbed into the tank. It is also unfavourable  
5 that when the air is breathed out, it can get into the apparatus causing the salt to clump. Salt crystals of grain size smaller than 1.5 mm are especially disposed to clumping.

The object of the invention is to eliminate the disadvantages of the known constructions, and to develop an inhaler apparatus which contains no separate screen, which is made of  
10 natural material, prevents the humid air coming from the lungs get into the apparatus, the filling is ventilated, and if the apparatus is placed on a wet place, the filling does not contact with the wet surface.

The fundamental idea of the invention is that if we take the measures described in the  
15 principal claim, the result will be better than with the known constructions.

The problem is solved by the invention as described in principal claim 1. The characteristic features of the different embodiments are included in the subclaims.

20 The inhaler apparatus according to the invention has several advantages. Due to their size, the salt crystals are not disposed to clumping. Due to its light weight, the inhaler can be designed to be a small size portable apparatus as well. It contains no metal screen, so the probability of precipitation of the salt crystals is also reduced. The blow-back of air is prevented by a retaining valve. At the bottom it has a ventilation channel so that the salt  
25 crystals are ventilated, and further, its bottom is raised, so it is less exposed to moisture, e.g. if it is left on the kitchen table. Also for this reason the lower openings are smaller than the upper openings.

It is also favourable that the apparatus contains no plastic, the house is made of  
30 environment protecting ceramics and is ergonomically designed. Under the house there is a

surface promoting the binding of essential oils, which is advantageous for combined therapy. The apparatus is cheaper and more economical than the known ones. The major advantage of the apparatus is that, as it is experimentally shown, it is even suitable for substituting cave therapy.

5

In what follows, the invention is described in detail by presenting preferable embodiments, with reference to the accompanying drawings where:

- Figure 1 is an axonometric view of the apparatus,  
10 Figure 2 is the rear view of the apparatus,  
Figure 3 is a longitudinal section of the apparatus according to plane A-A shown in figure 2,  
Figure 4 is a sectional view of the apparatus according to plane B-B shown in figure 2,  
Figure 5 is the front view of the apparatus,  
15 Figure 6 is the lateral view of the apparatus,  
Figure 7 is the bottom view of the apparatus.

Figure 1 shows the house 1, the grip 2, the filling opening 3, the blocking plug 4, the adhesive layer 5, the ventilating channel 6, the beak 7, the aspiration hole 8, the exhaust opening 9, the hollow 9a, the retaining valve 10, the clamping boss 11, the bearing brim 12, the base 13, and the bottom holes 14. The grip 2 is ergonomically designed so as to facilitate grasping. The blocking plug 4 and the retaining valve 10 are shown as an exploded view. The clamping boss 11 of the retaining valve 10 is stack into the hollow 9a of the exhaust opening 9.

25

Besides the house 1, figure 2 shows the filling opening 3, the beak 7, the exhaust opening 9 and the ventilating channel 6. In addition, figure 3 shows the aspiration hole 8, the bearing brim 12, the base 13, the salt holder space 16 for the filling 19, and the upper blocking member 17. Figure 4 shows the upper blocking member 17 with the upper holes (18) in section.

30

Figure 5 shows the house 1, the ventilating channel 6, the beak 7 and the aspiration hole 8. Besides the house 1, figure 6 shows the filling opening 3, the ventilating channel 6 and the beak 7. Figure 7 shows the bottom holes 14 and the binding surface 15 of the base 13, the bearing brim 12 and the ventilating channel 6.

The house 1, the beak 7, the base 13 and the blocking member 17 form one unit, and are made of ceramics with the bottom holes 14 and the upper holes 18 left free. The filling 19 is at least 10 grams of salt crystals of grain size between 1,6 and 4,8 mm. The preferable composition of the salt crystals is: NaCl 98,7 %, CaCl<sub>2</sub> 0,13 %, CaSO<sub>4</sub> 0,1 %, MgCl<sub>2</sub> 0,028 %, and Fe<sub>2</sub>O<sub>3</sub> 0,00056 %. The salt crystals may contain traces of iodine and bromine as well. The filling 19 is placed in the apparatus through the filling opening 3, and than the blocking plug 4 made of silicone rubber is fixed with two-component resin-based adhesive.

The apparatus is used for inhalation by taking the beak 7 in the mouth. In case of supplementary therapy essential oils are placed on the bottom of the apparatus.

## CLAIMS

1. Inhaler apparatus for mitigating respiratory complaints, comprising a house, salt holder space, filling, aspiration hole, base, and blocking member, the base is supplied with  
5 bottom holes, the blocking member is supplied with upper holes, there is a beak between the house and the aspiration hole, **characterized in that** a ventilating channel (6) is formed under the base (13), there is a filling opening (3) in the side of the house (1), and there is an exhaust opening (9) provided with a retaining valve (10) on the beak (7).  
10
2. Apparatus according to claim 1 **characterized in that** the base (13) and the blocking member (17) are made of the same material with the house (1), preferably made of ceramics, and form an irresolvable unit with the house (1).
- 15 3. Apparatus according to claim 1 or claim 2 **characterized in that** the filling (13) comprises salt crystals containing calcium sulphate, calcium chloride, and at least 90 mass percent sodium chloride, the mass of the filling (13) is not less than 10 grams, and the diameter of the grains is between 1,6 and 4,8 mm.
- 20 4. Apparatus according to any of claims 1 - 3 **characterized in that** the overall size of the upper holes (18) is bigger than the overall size of the bottom holes (14).
5. Apparatus according to any of claims 1 - 4 **characterized in that** a binding surface (15) is formed on the bottom part of the base (13) promoting the binding of essential  
25 oils.
6. Apparatus according to any of claims 1 - 5 **characterized in that** the filling opening (3) is closed by a blocking plug (4) preferably made of silicone rubber, and the blocking plug (4) is preferably connected to the house (1) by a two-component resin-  
30 based adhesive layer.

7. Apparatus according to any of claims 1 - 6 characterized in that the retaining valve (10) is stack into the hollow (9a) of the exhaust opening (9) by a clamping boss (11), and the retaining valve (10) is preferably made of silicone rubber.
- 5
8. Apparatus according to any of claims 1 - 7 characterized in that there is a grip (2) formed on the house (1) designed to facilitate grasping.
- 10
9. Apparatus according to any of claims 1 - 8 characterized in that there is a bearing brim (12) under the house (1) forming one unit with it, protecting the base (13) from moisture.



1/3




Fig. 1




Fig. 2




Fig. 3




Fig. 4

3/3




Fig. 7




Fig. 6




Fig. 5

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/HU 02/00162

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61M15/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2 503 732 A (HEISTERKAMP CHARLES A) 11 April 1950 (1950-04-11) the whole document	1-9
X	US 2 642 063 A (BROWN FRANK E) 16 June 1953 (1953-06-16) the whole document	1
A	WO 98 48875 A (PROCTER & GAMBLE) 5 November 1998 (1998-11-05) the whole document	1-9
A	US 2 549 303 A (FRIDEN JOHN H) 17 April 1951 (1951-04-17) the whole document	1-9
-/-		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*&\* document member of the same patent family

Date of the actual completion of the international search

15 May 2003

Date of mailing of the international search report

28/05/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel: (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Jameson, P

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/HU 02/00162

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	FR 2 293 221 A (FABRE SA PIERRE) 2 July 1976 (1976-07-02) the whole document ----	1-9
A	US 4 141 369 A (BURRUSS ROBERT P) 27 February 1979 (1979-02-27) abstract; figures 1-6 column 3, line 5 -column 5, line 23 ----	1-9
A	GB 718 287 A (GUSTAV GOTZ;HANS BRUCKBAUER) 10 November 1954 (1954-11-10) page 1, line 95 -page 2, line 23; figure 1 ----	1-9
A	GB 878 106 A (ARMOUR & CO) 27 September 1961 (1961-09-27) page 1, line 77 -page 2, line 18 page 3, line 38 -page 4, line 26; figures 3,5,6 ----	1,3,6
A	US 5 699 789 A (HENDRICKS MARK R) 23 December 1997 (1997-12-23) abstract; figure 3 column 5, line 61 -column 6, line 7 ----	1,6
A	US 2 579 280 A (TRUMBOUR GEORGE P ET AL) 18 December 1951 (1951-12-18) the whole document ----	1,4
A	RU 2 139 063 C (KONOVALOV S I; CHERVINSKAJA A V) 10 October 1999 (1999-10-10) abstract -----	3

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/HU 02/00162

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 2503732	A	11-04-1950	NONE	
US 2642063	A	16-06-1953	NONE	
WO 9848875	A	05-11-1998	US 5881720 A	16-03-1999
			AU 7258598 A	24-11-1998
			CN 1253509 T	17-05-2000
			EP 1017440 A1	12-07-2000
			HU 0004053 A2	28-08-2001
			JP 2001527442 T	25-12-2001
			NO 995251 A	28-12-1999
			TR 9902556 T2	21-01-2000
			WO 9848875 A1	05-11-1998
US 2549303	A	17-04-1951	NONE	
FR 2293221	A	02-07-1976	FR 2293221 A1	02-07-1976
US 4141369	A	27-02-1979	NONE	
GB 718287	A	10-11-1954	BE 505525 A	
			CH 295251 A	15-12-1953
			DE 867595 C	19-02-1953
			DE 856943 C	24-11-1952
			FR 1048008 A	18-12-1953
GB 878106	A	27-09-1961	FR 1220378 A	24-05-1960
US 5699789	A	23-12-1997	NONE	
US 2579280	A	18-12-1951	NONE	
RU 2139063	C	10-10-1999	RU 2139063 C1	10-10-1999